



Correction to: Leg length discrepancy and adolescent idiopathic scoliosis: clinical and radiological characteristics

Ahsen Buyukaslan^{1,2} · Kadir Abul³ · Haluk Berk⁴ · Hurriyet Yilmaz⁵

Published online: 26 November 2021
© The Author(s), under exclusive licence to Scoliosis Research Society 2021

Correction to: Spine Deformity
<https://doi.org/10.1007/s43390-021-00417-0>

The original version of this article unfortunately contained a mistake. In Fig. 2 of this article, there was a label reading “0.7 mm” instead of “0.7 cm”. The figure should have appeared as shown below.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s43390-021-00417-0>.

✉ Ahsen Buyukaslan
ahsen.buyukaslan@gmail.com

- ¹ Formed Healthcare Scoliosis Treatment and Brace Center, Istanbul, Turkey
- ² Department of Physical Therapy and Rehabilitation, Graduate School of Health Sciences, Medipol University, Istanbul, Turkey
- ³ Department of Orthopaedics and Traumatology, Basaksehir Cam and Sakura City Hospital, Istanbul, Turkey
- ⁴ Department of Orthopaedics and Traumatology, Faculty of Medicine, Dokuz Eylul University, Izmir, Turkey
- ⁵ Department of Physiotherapy and Rehabilitation, Faculty of Health Sciences, Halic University, Istanbul, Turkey

Fig. 2 C-LLD scoliometer test

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.