

Erratum - Effect of reference objects on the accuracy of digital implant impressions in partially edentulous arches

This corrects the article “Effect of reference objects on the accuracy of digital implant impressions in partially edentulous arches” in volume 16 on page 302.

[J Adv Prosthodont 2024;16:302-310]

DOI of original article: 10.4047/jap.2024.16.5.302

The article ‘Effect of reference objects on the accuracy of digital implant impressions in partially edentulous arches’ authored by Rutkūnas V, Jegelevičius D, Pletkus J, Auškalnis L, Akulauskas M, Eyüboğlu TF, Özcan M, Gedrimienė A, published in June issue [Vol 16, No 5] of The Journal of Advanced Prosthodontics (2024), has an erratum.

In the above article, the affiliations were published incorrectly. The authors apologize for any inconvenience that it may have caused.

Vygandas Rutkūnas,^{1*} Darius Jegelevičius,¹ Justinas Pletkus,¹ Liudas Auškalnis,¹ Mykolas Akulauskas,² Tan Firat Eyüboğlu,³ Mutlu Özcan,⁴ and Agnė Gedrimienė¹

¹Department of Prosthodontics, Institute of Odontology, Faculty of Medicine, Vilnius University, Vilnius, Lithuania

²Biomedical Engineering Institute, Kaunas University of Technology, Lithuania, Department of Electronics Engineering, Kaunas University of Technology, Kaunas, Lithuania

³Department of Endodontics, Faculty of Dentistry, Istanbul Medipol University, Istanbul, Turkey

⁴University of Zurich, Clinic of Masticatory Disorders and Dental Biomaterials, Center for Dental Medicine, Zurich, Switzerland

The affiliations should be corrected as follows. Changes are marked by underlines:

Vygandas Rutkūnas,^{1*} Darius Jegelevičius,² Justinas Pletkus,¹ Liudas Auškalnis,¹ Mykolas Akulauskas,² Tan Firat Eyüboğlu,³ Mutlu Özcan,⁴ and Agnė Gedrimienė¹

¹Department of Prosthodontics, Institute of Odontology, Faculty of Medicine, Vilnius University, Vilnius, Lithuania

²Biomedical Engineering Institute, Kaunas University of Technology, Lithuania, Department of Electronics Engineering, Kaunas University of Technology, Kaunas, Lithuania

³Department of Endodontics, Faculty of Dentistry, Istanbul Medipol University, Istanbul, Turkey

⁴University of Zurich, Clinic of Masticatory Disorders and Dental Biomaterials, Center for Dental Medicine, Zurich, Switzerland

The Journal of Advanced Prosthodontics apologizes to the readers for this error.